•	XV.	
	~\	

	Application No.	Applicant(s)
	10/667,734	SPARROW ET AL.
Notice of Allowability	Examiner	Art Unit
	Theodore M. Blum	3662
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS ( herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Re	(OR REMAINS) CLOSED in or other appropriate commu GHTS. This application is su	this application. If not included nication will be mailed in due course. <b>THIS</b>
1. This communication is responsive to		
2. ☑ The allowed claim(s) is/are <u>1-20</u> .		
3. $igotimes$ The drawings filed on <u>22 September 2003</u> are accepted by	the Examiner.	
4. ☐ Acknowledgment is made of a claim for foreign priority un  a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have  2. ☐ Certified copies of the priority documents have  3. ☐ Copies of the certified copies of the priority documents have  International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:	been received. been received in Application	n No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give		
<ol> <li>CORRECTED DRAWINGS (as "replacement sheets") must</li> <li>(a) ☐ including changes required by the Notice of Draftspers</li> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> <li>(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date</li> </ol>	on's Patent Drawing Review	
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the ne header according to 37 CFF	e drawings in the front (not the back) of ₹ 1.121(d).
<ol> <li>DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F</li> </ol>	SIT OF BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	RIAL must be submitted. Note the LOGICAL MATERIAL.
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Info 6. ☐ Interview Su	ormal Patent Application (PTO-152) mmary (PTO-413).
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. ☑ Examiner's Comment Regarding Requirement for Deposit	Paper No./N 8), 7. 🗌 Examiner's A	Mail Date  Amendment/Comment  Statement of Reasons for Allowance
of Biological Material	9. Other	

Art Unit: 3662

Application/Control Number: 10/667,734

Art Unit: 3662

1. The following is an examiner's statement of reasons for allowance: the Examiner found no teaching in the prior art that would render obvious the claimed method and structure for determining range from a moving platform to an emitter including "determining the range to the emitter based on both the number of phase reversals counted in step (b) and the Doppler frequency measured in step (c)", claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. The Kohler patent is cited to show a ranging system.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theodore M. Blum whose telephone number is 703-305-1833. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Tarcza can be reached on 703-306-4171. The fax phone numbers for the organization where this application or proceeding is assigned are 703-306-4195 for regular communications and 703-306-4195 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

Application/Control Number: 10/667,734

Art Unit: 3662

Theodor M. Blum

Page 3

Theodore M. Blum Primary Examiner Art Unit 3662